

VDE-2025-104: Phoenix Contact: Multiple Vulnerabilities in FL SWITCH 2xxx, FL SWITCH TSN 23xx and FL SWITCH 59xx Firmware

Publisher: Phoenix Contact GmbH & Co. KG	Document category: csaf_security_advisory
Initial release date: Wed Mar 18 09:00:00 CET 2026	Engine: 2.5.44
Current release date: Wed Mar 18 09:00:00 CET 2026	Build Date: Tue Mar 03 10:05:53 CET 2026
Current version: 1.0.0	Status: FINAL
CVSSv3.1 Base Score: 7.2	Severity: High
Original language: en	Language: en-GB
Also referred to: VDE-2025-104, PCSA-2025-00022	

Summary

Multiple vulnerabilities have been identified in the FL SWITCH 2xxx, FL SWITCH TSN 23xx and FL SWITCH 59xx firmware prior to version 3.53. One of these (CVE-2026-22317) enables an attacker to execute system commands as root user on the device. Five other vulnerabilities (CVE-2026-22316, CVE-2026-22318, CVE-2026-22319, CVE-2026-22320 and CVE-2026-22321) are related to Denial of Service (DoS) attacks, which partly limit the device's functionality. Another vulnerability (CVE-2026-22322) relates to reflected cross-site scripting in the web-based management of the device. And one vulnerability (CVE-2026-22323) relates to Cross-Site Request Forgery in the web-based management of the device. All vulnerabilities have been resolved in firmware version 3.53.

General Recommendation

Phoenix Contact recommends operating network-capable devices in closed networks or protected with a suitable firewall. For detailed information on our recommendations for measures to protect network-capable devices, please refer to our [application note](#).

Impact

Availability, integrity, or confidentiality of the FL SWITCH 2xxx, FL SWITCH TSN 23xx and FL SWITCH 59xx can be compromised by attacks using these vulnerabilities.

Remediation

Phoenix Contact recommends to update to the latest 3.53 Firmware Release which fixes these vulnerabilities.

Affected Product(s)

Article	Name	Affected	Fixed
2702323	FL SWITCH 2005	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702324	FL SWITCH 2008	Firmware 3.50 Firmware <3.53	Firmware 3.53

Article	Name	Affected	Fixed
2702903	FL SWITCH 2016	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702665	FL SWITCH 2105	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702666	FL SWITCH 2108	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702908	FL SWITCH 2116	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702334	FL SWITCH 2204-2TC-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702326	FL SWITCH 2205	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702330	FL SWITCH 2206-2FX	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702331	FL SWITCH 2206-2FX SM	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702333	FL SWITCH 2206-2FX SM ST	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702332	FL SWITCH 2206-2FX ST	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702969	FL SWITCH 2206-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
1044028	FL SWITCH 2206-2SFX PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1095628	FL SWITCH 2206C-2FX	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702328	FL SWITCH 2207-FX	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702329	FL SWITCH 2207-FX SM	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702327	FL SWITCH 2208	Firmware 3.50 Firmware <3.53	Firmware 3.53
1044024	FL SWITCH 2208 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1095627	FL SWITCH 2208C	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702907	FL SWITCH 2212-2TC-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702905	FL SWITCH 2214-2FX	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702906	FL SWITCH 2214-2FX SM	Firmware 3.50 Firmware <3.53	Firmware 3.53
1006188	FL SWITCH 2214-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
1044030	FL SWITCH 2214-2SFX PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702904	FL SWITCH 2216	Firmware 3.50 Firmware <3.53	Firmware 3.53

Article	Name	Affected	Fixed
1044029	FL SWITCH 2216 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702653	FL SWITCH 2304-2GC-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702970	FL SWITCH 2306-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1009222	FL SWITCH 2306-2SFP PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702652	FL SWITCH 2308	Firmware 3.50 Firmware <3.53	Firmware 3.53
1009220	FL SWITCH 2308 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702910	FL SWITCH 2312-2GC-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1006191	FL SWITCH 2314-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1031683	FL SWITCH 2314-2SFP PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702909	FL SWITCH 2316	Firmware 3.50 Firmware <3.53	Firmware 3.53
1031673	FL SWITCH 2316 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1088853	FL SWITCH 2404-2TC-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043414	FL SWITCH 2406-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089126	FL SWITCH 2406-2SFX PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043412	FL SWITCH 2408	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089133	FL SWITCH 2408 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1088875	FL SWITCH 2412-2TC-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043423	FL SWITCH 2414-2SFX	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089139	FL SWITCH 2414-2SFX PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043416	FL SWITCH 2416	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089150	FL SWITCH 2416 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1088872	FL SWITCH 2504-2GC-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043491	FL SWITCH 2506-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089135	FL SWITCH 2506-2SFP PN	Firmware 3.50 Firmware <3.53	Firmware 3.53

Article	Name	Affected	Fixed
1043484	FL SWITCH 2508	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089134	FL SWITCH 2508 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1088856	FL SWITCH 2512-2GC-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043499	FL SWITCH 2514-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089154	FL SWITCH 2514-2SFP PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1043496	FL SWITCH 2516	Firmware 3.50 Firmware <3.53	Firmware 3.53
1089205	FL SWITCH 2516 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1106500	FL SWITCH 2608	Firmware 3.50 Firmware <3.53	Firmware 3.53
1106616	FL SWITCH 2608 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1106615	FL SWITCH 2708	Firmware 3.50 Firmware <3.53	Firmware 3.53
1106610	FL SWITCH 2708 PN	Firmware 3.50 Firmware <3.53	Firmware 3.53
1278397	FL SWITCH 2303-8SP1	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702881	FL NAT 2008	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702882	FL NAT 2208	Firmware 3.50 Firmware <3.53	Firmware 3.53
2702981	FL NAT 2304-2GC-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1106707	FL SWITCH 2008F	Firmware 3.50 Firmware <3.53	Firmware 3.53
1184084	FL SWITCH 2316/K1	Firmware 3.50 Firmware <3.53	Firmware 3.53
1215329	FL SWITCH 2506-2SFP/K1	Firmware 3.50 Firmware <3.53	Firmware 3.53
1215350	FL SWITCH 2508/K1	Firmware 3.50 Firmware <3.53	Firmware 3.53
1232304	FL SWITCH TSN 2316	Firmware 3.50 Firmware <3.53	Firmware 3.53
1232305	FL SWITCH TSN 2312-2GC-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1232302	FL SWITCH TSN 2314-2SFP	Firmware 3.50 Firmware <3.53	Firmware 3.53
1525945	FL SWITCH 5924-4GC	Firmware 3.50 Firmware <3.53	Firmware 3.53
1525942	FL SWITCH 5916-8GC-4SFP+	Firmware 3.50 Firmware <3.53	Firmware 3.53

Article	Name	Affected	Fixed
1525944	FL SWITCH 5924SFP-4GC	Firmware 3.50 Firmware <3.53	Firmware 3.53
1525939	FL SWITCH 5924-4SFP+	Firmware 3.50 Firmware <3.53	Firmware 3.53
1525943	FL SWITCH 5916SFP-8GC-4SFP+	Firmware 3.50 Firmware <3.53	Firmware 3.53

Acknowledgments

Phoenix Contact GmbH & Co. KG thanks the following parties for their efforts:

- CERT@VDE for coordination. (see: <https://certvde.com>)
- Gabriele Quagliarella from Nozomi Networks for Reporting

Phoenix Contact GmbH & Co. KG

Namespace: <https://phoenixcontact.com/psirt>

psirt@phoenixcontact.com

References

- PCSA-2025-00022 (EXTERNAL): <https://phoenixcontact.com/psirt>
- Phoenix Contact advisory overview at CERT@VDE (EXTERNAL): <https://certvde.com/de/advisories/vendor/phoenixcontact/>
- Phoenix Contact application note (EXTERNAL): https://dam-mdc.phoenixcontact.com/asset/156443151564/0a870ae433c19148b80bd760f3a1c1f2/107913_en_03.pdf
- VDE-2025-104: Phoenix Contact: Multiple Vulnerabilities in FL SWITCH 2xxx, FL SWITCH TSN 23xx and FL SWITCH 59xx Firmware - HTML (SELF): <https://certvde.com/en/advisories/VDE-2025-104>
- VDE-2025-104: Phoenix Contact: Multiple Vulnerabilities in FL SWITCH 2xxx, FL SWITCH TSN 23xx and FL SWITCH 59xx Firmware - CSAF (SELF): <https://phoenixcontact.csaf-tp.certvde.com/well-known/csaf/white/2026/vde-2025-104.json>

Revision history

Version	Date of the revision	Summary of the revision
1.0.0	Wed Mar 18 09:00:00 CET 2026	Initial release.

Sharing rules

TLP:WHITE

For the TLP version see <https://www.first.org/tlp/>

Vulnerability Details

Buffer Overflow using TFTP Filename (CVE-2026-22316)

CVE Description

A remote attacker with user privileges for the webUI can use the setting of the TFTP Filename with a POST Request to trigger a stack-based Buffer Overflow, resulting in a DoS attack.

CWE: CWE-121: Stack-based Buffer Overflow

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)
Firmware 3.53 installed on FL SWITCH 2008 Order number: 2702324 (Download)
Firmware 3.53 installed on FL SWITCH 2016 Order number: 2702903 (Download)
Firmware 3.53 installed on FL SWITCH 2105 Order number: 2702665 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2108
Order number: 2702666 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2116
Order number: 2702908 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX
Order number: 2702334 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2205
Order number: 2702326 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX
Order number: 2702330 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM
Order number: 2702331 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST
Order number: 2702333 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX ST
Order number: 2702332 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX
Order number: 2702969 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX PN
Order number: 1044028 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206C-2FX
Order number: 1095628 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX
Order number: 2702328 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX SM
Order number: 2702329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208
Order number: 2702327 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208 PN
Order number: 1044024 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))

Command Injection Vulnerability in Root CA Certificate Transfer Workflow (CVE-2026-22317)

CVE Description

A command injection vulnerability in the device's Root CA certificate transfer workflow allows a high-privileged attacker to send crafted HTTP POST requests that result in arbitrary command execution on the underlying Linux OS with root privileges.

CWE: CWE-77: Improper Neutralization of Special Elements used in a Command ('Command Injection')

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:H/I:H/A:H	7.2

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)
Firmware 3.53 installed on FL SWITCH 2008 Order number: 2702324 (Download)
Firmware 3.53 installed on FL SWITCH 2016 Order number: 2702903 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2105
Order number: 2702665 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2108
Order number: 2702666 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2116
Order number: 2702908 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX
Order number: 2702334 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2205
Order number: 2702326 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX
Order number: 2702330 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM
Order number: 2702331 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST
Order number: 2702333 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX ST
Order number: 2702332 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX
Order number: 2702969 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX PN
Order number: 1044028 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206C-2FX
Order number: 1095628 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX
Order number: 2702328 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX SM
Order number: 2702329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208
Order number: 2702327 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208 PN
Order number: 1044024 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))

Stack-Based Buffer Overflow in File Transfer Parameter Handling (CVE-2026-22318)

CVE Description

A stack-based buffer overflow vulnerability in the device's file transfer parameter workflow allows a high-privileged attacker to send oversized POST parameters, causing memory corruption in an internal process, resulting in a DoS attack.

CWE: CWE-121: Stack-based Buffer Overflow

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)
Firmware 3.53 installed on FL SWITCH 2008 Order number: 2702324 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2016
Order number: 2702903 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2105
Order number: 2702665 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2108
Order number: 2702666 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2116
Order number: 2702908 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX
Order number: 2702334 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2205
Order number: 2702326 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX
Order number: 2702330 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM
Order number: 2702331 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST
Order number: 2702333 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX ST
Order number: 2702332 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX
Order number: 2702969 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX PN
Order number: 1044028 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206C-2FX
Order number: 1095628 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX
Order number: 2702328 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX SM
Order number: 2702329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208
Order number: 2702327 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208 PN
Order number: 1044024 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
 Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
 Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
 Order number: 1525943 ([Download](#))

Stack-Based Buffer Overflow in File Install Parameter Handling (CVE-2026-22319)

CVE Description

A stack-based buffer overflow in the device's file installation workflow allows a high-privileged attacker to send oversized POST parameters that overflow a fixed-size stack buffer within an internal process, resulting in a DoS attack.

CWE: CWE-121: Stack-based Buffer Overflow

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:H/UI:N/S:U/C:N/I:N/A:H	4.9

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2008
Order number: 2702324 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2016
Order number: 2702903 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2105
Order number: 2702665 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2108
Order number: 2702666 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2116
Order number: 2702908 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX
Order number: 2702334 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2205
Order number: 2702326 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX
Order number: 2702330 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM
Order number: 2702331 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST
Order number: 2702333 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX ST
Order number: 2702332 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX
Order number: 2702969 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX PN
Order number: 1044028 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206C-2FX
Order number: 1095628 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX
Order number: 2702328 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX SM
Order number: 2702329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208
Order number: 2702327 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208 PN
Order number: 1044024 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))

Stack-Based Buffer Overflow in TFTP File-Transfer Command Handling over CLI (CVE-2026-22320)

CVE Description

A stack-based buffer overflow in the CLI's TFTP file-transfer command handling allows a low-privileged attacker with Telnet/SSH access to trigger memory corruption by supplying unexpected or oversized filename input. Exploitation results in the corruption of the internal buffer, causing the CLI and web dashboard to become unavailable and leading to a denial of service.

CWE: CWE-121: Stack-based Buffer Overflow

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H	6.5

Fixed

Product

Firmware 3.53 installed on FL SWITCH 2005
Order number: 2702323 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008
Order number: 2702324 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2016
Order number: 2702903 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2105
Order number: 2702665 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2108
Order number: 2702666 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2116
Order number: 2702908 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX
Order number: 2702334 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2205
Order number: 2702326 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX
Order number: 2702330 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM
Order number: 2702331 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST
Order number: 2702333 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2FX ST
Order number: 2702332 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX
Order number: 2702969 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206-2SFX PN
Order number: 1044028 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2206C-2FX
Order number: 1095628 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX
Order number: 2702328 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2207-FX SM
Order number: 2702329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208
Order number: 2702327 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208 PN
Order number: 1044024 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))

Stack-Based Buffer Overflow in CLI Login Username Handling over CLI (CVE-2026-22321)

CVE Description

A stack-based buffer overflow in the device's Telnet/SSH CLI login routine occurs when a unauthenticated attacker send an oversized or unexpected username input. An overflow condition crashes the thread handling the login attempt, forcing the session to close. Because other CLI sessions remain unaffected, the impact is limited to a low-severity availability disruption.

CWE: CWE-121: Stack-based Buffer Overflow

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L	5.3

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)
Firmware 3.53 installed on FL SWITCH 2008 Order number: 2702324 (Download)
Firmware 3.53 installed on FL SWITCH 2016 Order number: 2702903 (Download)
Firmware 3.53 installed on FL SWITCH 2105 Order number: 2702665 (Download)
Firmware 3.53 installed on FL SWITCH 2108 Order number: 2702666 (Download)
Firmware 3.53 installed on FL SWITCH 2116 Order number: 2702908 (Download)
Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334 (Download)
Firmware 3.53 installed on FL SWITCH 2205 Order number: 2702326 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX Order number: 2702330 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028 (Download)
Firmware 3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628 (Download)
Firmware 3.53 installed on FL SWITCH 2207-FX Order number: 2702328 (Download)
Firmware 3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329 (Download)
Firmware 3.53 installed on FL SWITCH 2208 Order number: 2702327 (Download)
Firmware 3.53 installed on FL SWITCH 2208 PN Order number: 1044024 (Download)
Firmware 3.53 installed on FL SWITCH 2208C Order number: 1095627 (Download)
Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))

Stored Cross-Site Scripting in Link Aggregation Name Handling (CVE-2026-22322)

CVE Description

A stored cross-site scripting (XSS) vulnerability in the Link Aggregation configuration interface allows an unauthenticated remote attacker to create a trunk entry containing malicious HTML/JavaScript code. When the affected page is viewed, the injected script executes in the context of the victim's browser, enabling unauthorized actions such as interface manipulation. The session cookie is secured by the httpOnly Flag. Therefore an attacker is not able to take over the session of an authenticated user.

CWE: CWE-79: Improper Neutralization of Input During Web Page Generation ('Cross-site Scripting')

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:L	7.1

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)
Firmware 3.53 installed on FL SWITCH 2008 Order number: 2702324 (Download)
Firmware 3.53 installed on FL SWITCH 2016 Order number: 2702903 (Download)
Firmware 3.53 installed on FL SWITCH 2105 Order number: 2702665 (Download)
Firmware 3.53 installed on FL SWITCH 2108 Order number: 2702666 (Download)
Firmware 3.53 installed on FL SWITCH 2116 Order number: 2702908 (Download)
Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334 (Download)
Firmware 3.53 installed on FL SWITCH 2205 Order number: 2702326 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX Order number: 2702330 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028 (Download)
Firmware 3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628 (Download)
Firmware 3.53 installed on FL SWITCH 2207-FX Order number: 2702328 (Download)
Firmware 3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329 (Download)
Firmware 3.53 installed on FL SWITCH 2208 Order number: 2702327 (Download)
Firmware 3.53 installed on FL SWITCH 2208 PN Order number: 1044024 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))

Cross-Site Request Forgery in Link Aggregation Configuration (CVE-2026-22323)

CVE Description

A CSRF vulnerability in the Link Aggregation configuration interface allows an unauthenticated remote attacker to trick authenticated users into sending unauthorized POST requests to the device by luring them to a malicious webpage. This can silently alter the device's configuration without the victim's knowledge or consent. Availability impact was set to low because after a successful attack the device will automatically recover without external intervention.

CWE: CWE-352: Cross-Site Request Forgery (CSRF)

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2406-2SFP PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2414-2SFP PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware <3.53 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware <3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Product	CVSS-Vector	CVSS Base Score
Firmware 3.50 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1
Firmware 3.50 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:N/I:H/A:L	7.1

Fixed

Product
Firmware 3.53 installed on FL SWITCH 2005 Order number: 2702323 (Download)
Firmware 3.53 installed on FL SWITCH 2008 Order number: 2702324 (Download)
Firmware 3.53 installed on FL SWITCH 2016 Order number: 2702903 (Download)
Firmware 3.53 installed on FL SWITCH 2105 Order number: 2702665 (Download)
Firmware 3.53 installed on FL SWITCH 2108 Order number: 2702666 (Download)
Firmware 3.53 installed on FL SWITCH 2116 Order number: 2702908 (Download)
Firmware 3.53 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334 (Download)
Firmware 3.53 installed on FL SWITCH 2205 Order number: 2702326 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX Order number: 2702330 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX SM Order number: 2702331 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2FX ST Order number: 2702332 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2SFX Order number: 2702969 (Download)
Firmware 3.53 installed on FL SWITCH 2206-2SFX PN Order number: 1044028 (Download)
Firmware 3.53 installed on FL SWITCH 2206C-2FX Order number: 1095628 (Download)
Firmware 3.53 installed on FL SWITCH 2207-FX Order number: 2702328 (Download)
Firmware 3.53 installed on FL SWITCH 2207-FX SM Order number: 2702329 (Download)

Product

Firmware 3.53 installed on FL SWITCH 2208
Order number: 2702327 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208 PN
Order number: 1044024 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2208C
Order number: 1095627 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2212-2TC-2SFX
Order number: 2702907 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX
Order number: 2702905 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2FX SM
Order number: 2702906 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX
Order number: 1006188 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2214-2SFX PN
Order number: 1044030 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216
Order number: 2702904 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2216 PN
Order number: 1044029 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2304-2GC-2SFP
Order number: 2702653 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP
Order number: 2702970 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2306-2SFP PN
Order number: 1009222 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308
Order number: 2702652 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2308 PN
Order number: 1009220 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2312-2GC-2SFP
Order number: 2702910 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP
Order number: 1006191 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2314-2SFP PN
Order number: 1031683 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316
Order number: 2702909 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316 PN
Order number: 1031673 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2404-2TC-2SFX
Order number: 1088853 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX
Order number: 1043414 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2406-2SFX PN
Order number: 1089126 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2408
Order number: 1043412 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2408 PN
Order number: 1089133 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2412-2TC-2SFX
Order number: 1088875 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX
Order number: 1043423 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2414-2SFX PN
Order number: 1089139 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416
Order number: 1043416 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2416 PN
Order number: 1089150 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2504-2GC-2SFP
Order number: 1088872 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP
Order number: 1043491 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP PN
Order number: 1089135 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508
Order number: 1043484 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508 PN
Order number: 1089134 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2512-2GC-2SFP
Order number: 1088856 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP
Order number: 1043499 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2514-2SFP PN
Order number: 1089154 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516
Order number: 1043496 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2516 PN
Order number: 1089205 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608
Order number: 1106500 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2608 PN
Order number: 1106616 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708
Order number: 1106615 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2708 PN
Order number: 1106610 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2303-8SP1
Order number: 1278397 ([Download](#))

Firmware 3.53 installed on FL NAT 2008
Order number: 2702881 ([Download](#))

Firmware 3.53 installed on FL NAT 2208
Order number: 2702882 ([Download](#))

Firmware 3.53 installed on FL NAT 2304-2GC-2SFP
Order number: 2702981 ([Download](#))

Product

Firmware 3.53 installed on FL SWITCH 2008F
Order number: 1106707 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2316/K1
Order number: 1184084 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2506-2SFP/K1
Order number: 1215329 ([Download](#))

Firmware 3.53 installed on FL SWITCH 2508/K1
Order number: 1215350 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2316
Order number: 1232304 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2312-2GC-2SFP
Order number: 1232305 ([Download](#))

Firmware 3.53 installed on FL SWITCH TSN 2314-2SFP
Order number: 1232302 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4GC
Order number: 1525945 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916-8GC-4SFP+
Order number: 1525942 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924SFP-4GC
Order number: 1525944 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5924-4SFP+
Order number: 1525939 ([Download](#))

Firmware 3.53 installed on FL SWITCH 5916SFP-8GC-4SFP+
Order number: 1525943 ([Download](#))
