VDE-2026-144: Phoenix Contact: PHP2Shell in FL SWITCH, FL NAT and FL WLAN devices

Publisher: Phoenix Contact GmbH & Co. KG	Document category: csaf_security_advisory
Initial release date: Wed Nov 18 10:00:00 CET 2026	Engine: 2.6.16
Current release date: Wed Nov 18 10:00:00 CET 2026	Build Date: Wed Nov 04 14:25:27 CET 2026
Current version: 1.0.0	Status: FINAL
CVSSv3.1 Base Score: 9.8	Severity: Critical
Original language:	Language: en-GB
Also referred to: VDE-2026-144, PCSA-2026-00024	

Summary

Two vulnerabilities have been identified in the PHP component used in FL SWITCH, FL NAT, and FL WLAN devices. The vulnerabilities relate to improper memory handling in PHP and can lead to remote code execution (RCE).

General Recommendation

For general information and recommendations on security measures to protect network-enabled devices, refer to the application note: Application Note Security.

Impact

By exploiting these vulnerabilities, an unauthenticated remote attacker may achieve remote code execution, leading to a complete loss of confidentiality, integrity, and availability of the affected device.

Mitigation

Phoenix Contact recommends operating the devices in closed industrial networks protected by a suitable firewall and to restrict access to trusted users only.

Remediation

Phoenix Contact recommends updating affected FL SWITCH and FL NAT devices to firmware version 3.60 and FL WLAN devices to firmware version 26.10, which address these vulnerabilities. Please check the download section of the respective product webpage for the availability of the fix.

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Affected Product(s)

Article	Name	Affected	Fixed
2702881	FL NAT 2008	< 3.60	3.60
2702882	FL NAT 2208	< 3.60	3.60
2702981	FL NAT 2304-2GC-2SFP	< 3.60	3.60
2702323	FL SWITCH 2005	< 3.60	3.60
2702324	FL SWITCH 2008	< 3.60	3.60
1106707	FL SWITCH 2008F	< 3.60	3.60
2702903	FL SWITCH 2016	< 3.60	3.60
2702665	FL SWITCH 2105	< 3.60	3.60
2702666	FL SWITCH 2108	< 3.60	3.60
2702908	FL SWITCH 2116	< 3.60	3.60
2702334	FL SWITCH 2204-2TC-2SFX	< 3.60	3.60
2702326	FL SWITCH 2205	< 3.60	3.60
2702330	FL SWITCH 2206-2FX	< 3.60	3.60
2702331	FL SWITCH 2206-2FX SM	< 3.60	3.60
2702333	FL SWITCH 2206-2FX SM ST	< 3.60	3.60
2702332	FL SWITCH 2206-2FX ST	< 3.60	3.60
2702969	FL SWITCH 2206-2SFX	< 3.60	3.60
1044028	FL SWITCH 2206-2SFX PN	< 3.60	3.60
1095628	FL SWITCH 2206C-2FX	< 3.60	3.60
2702328	FL SWITCH 2207-FX	< 3.60	3.60
2702329	FL SWITCH 2207-FX SM	< 3.60	3.60
2702327	FL SWITCH 2208	< 3.60	3.60
1044024	FL SWITCH 2208 PN	< 3.60	3.60
1095627	FL SWITCH 2208C	< 3.60	3.60
2702907	FL SWITCH 2212-2TC-2SFX	< 3.60	3.60
2702905	FL SWITCH 2214-2FX	< 3.60	3.60
2702906	FL SWITCH 2214-2FX SM	< 3.60	3.60
1006188	FL SWITCH 2214-2SFX	< 3.60	3.60
1044030	FL SWITCH 2214-2SFX PN	< 3.60	3.60
2702904	FL SWITCH 2216	< 3.60	3.60

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Article	Name	Affected	Fixed
1044029	FL SWITCH 2216 PN	< 3.60	3.60
1278397	FL SWITCH 2303-8SP1	< 3.60	3.60
1277825	FL SWITCH 2303-8SP3	< 3.60	3.60
2702653	FL SWITCH 2304-2GC-2SFP	< 3.60	3.60
2702970	FL SWITCH 2306-2SFP	< 3.60	3.60
1009222	FL SWITCH 2306-2SFP PN	< 3.60	3.60
2702652	FL SWITCH 2308	< 3.60	3.60
1009220	FL SWITCH 2308 PN	< 3.60	3.60
2702910	FL SWITCH 2312-2GC-2SFP	< 3.60	3.60
1006191	FL SWITCH 2314-2SFP	< 3.60	3.60
1031683	FL SWITCH 2314-2SFP PN	< 3.60	3.60
2702909	FL SWITCH 2316	< 3.60	3.60
1031673	FL SWITCH 2316 PN	< 3.60	3.60
1184084	FL SWITCH 2316/K1	< 3.60	3.60
1088853	FL SWITCH 2404-2TC-2SFX	< 3.60	3.60
1043414	FL SWITCH 2406-2SFX	< 3.60	3.60
1089126	FL SWITCH 2406-2SFX PN	< 3.60	3.60
1043412	FL SWITCH 2408	< 3.60	3.60
1089133	FL SWITCH 2408 PN	< 3.60	3.60
1088875	FL SWITCH 2412-2TC-2SFX	< 3.60	3.60
1043423	FL SWITCH 2414-2SFX	< 3.60	3.60
1089139	FL SWITCH 2414-2SFX PN	< 3.60	3.60
1043416	FL SWITCH 2416	< 3.60	3.60
1089150	FL SWITCH 2416 PN	< 3.60	3.60
1088872	FL SWITCH 2504-2GC-2SFP	< 3.60	3.60
1043491	FL SWITCH 2506-2SFP	< 3.60	3.60
1089135	FL SWITCH 2506-2SFP PN	< 3.60	3.60
1215329	FL SWITCH 2506-2SFP/K1	< 3.60	3.60
1043484	FL SWITCH 2508	< 3.60	3.60
1089134	FL SWITCH 2508 PN	< 3.60	3.60
1215350	FL SWITCH 2508/K1	< 3.60	3.60
1088856	FL SWITCH 2512-2GC-2SFP	< 3.60	3.60

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Article	Name	Affected	Fixed
1043499	FL SWITCH 2514-2SFP	< 3.60	3.60
1089154	FL SWITCH 2514-2SFP PN	< 3.60	3.60
1043496	FL SWITCH 2516	< 3.60	3.60
1089205	FL SWITCH 2516 PN	< 3.60	3.60
1106500	FL SWITCH 2608	< 3.60	3.60
1106616	FL SWITCH 2608 PN	< 3.60	3.60
1106615	FL SWITCH 2708	< 3.60	3.60
1106610	FL SWITCH 2708 PN	< 3.60	3.60
1525942	FL SWITCH 5916-8GC-4SFP+	< 3.60	3.60
1525943	FL SWITCH 5916SFP-8GC-4SFP+	< 3.60	3.60
1525945	FL SWITCH 5924-4GC	< 3.60	3.60
1525939	FL SWITCH 5924-4SFP+	< 3.60	3.60
1525944	FL SWITCH 5924SFP-4GC	< 3.60	3.60
1232305	FL SWITCH TSN 2312-2GC-2SFP	< 3.60	3.60
1232302	FL SWITCH TSN 2314-2SFP	< 3.60	3.60
1232304	FL SWITCH TSN 2316	< 3.60	3.60
2702992	FL WLAN 1020	< 26.10	26.10
2702993	FL WLAN 1021	< 26.10	26.10
1752493	FL WLAN 1022	< 26.10	26.10
2702534	FL WLAN 1100	<= 3.57	None
2702538	FL WLAN 1101	<= 3.57	None
1386091	FL WLAN 1120	< 26.10	26.10
1386092	FL WLAN 1121	< 26.10	26.10
1752496	FL WLAN 1122	< 26.10	26.10
2702535	FL WLAN 2100	<= 3.57	None
2702540	FL WLAN 2101	<= 3.57	None
	PHP	< 8.2.35	

Acknowledgments

Phoenix Contact GmbH & Co. KG thanks the following parties for their efforts:

- CERTVDE for coordination. (see: https://certvde.com/en/)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Phoenix Contact GmbH & Co. KG

Namespace: https://phoenixcontact.com/psirt

psirt@phoenixcontact.com

References

- pcsa-2026-00024 (EXTERNAL): https://phoenixcontact.com/psirt
- Phoenix Contact advisory overview at CERT@VDE (EXTERNAL): https://certvde.com/de/advisories/vendor/phoenixcontact/
- VDE-2026-144: Phoenix Contact: PHP2Shell in FL SWITCH, FL NAT and FL WLAN devices - HTML (SELF): https://certvde.com/en/advisories/VDE-2026-144
- VDE-2026-144: Phoenix Contact: PHP2Shell in FL SWITCH, FL NAT and FL WLAN devices - CSAF (SELF): https://phoenixcontact.csaf-tp.certvde.com/.well-known/csaf/white/2026/vde-2026-144.json
- Phoenix Contact application note (EXTERNAL): https://dam-mdc.phoenixcontact.com/asset/156443151564/0a870ae433c19148b80bd760f3a1c1f2/107913_en_03.pdf

Revision history

Version	Date of the revision	Summary of the revision
1.0.0	Wed Nov 18 10:00:00 CET 2026	Initial revision.

Sharing rules

TLP:WHITE
For the TLP version see https://www.first.org/tlp/

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Vulnerability Details

RCE via OOM corruption (CVE-2026-109618)

CVE impact
A successful exploitation could allow an unauthenticated remote attacker to execute arbitrary code under the privileges of the web server process. This may result in unauthorized disclosure of data accessible by the web server process, manipulation of web-based management data, or disruption of the web-based management interface (WBM). Core device functionality (switching, routing, WLAN operation) is not affected by a compromise or crash of the WBM.

CVE characterisation
The PHP package implements the web-based management interface (WBM) on affected devices. PHP is executed under a restricted system user with no read or write access to system configuration files beyond its own volatile working directory.

Two platform variants exist with different permission profiles:

On FL SWITCH TSN, FL SWITCH 59xx, and FL WLAN 1020/1021/1022/1120/1121/1122 devices, the web server user has read access to sensitive device configuration files including TLS private keys and SNMP credentials, but no write access to persistent configuration. This results in a confidentiality impact of C:H.

On FL SWITCH 2xxx, FL NAT 2xxx, and FL WLAN 1100/1101/2100/2101 devices, the web server user has no read or write access to /etc or any system configuration files. File access is limited to volatile WBM assets in /dev/shm. This results in a reduced confidentiality impact of C:L.

In both cases, the WBM is a single component of the device. Its failure or compromise does not affect core device functionality, reducing the availability impact from A:H to A:L. Write access is limited to volatile memory only, reducing the integrity impact from I:H to I:L.

This results in the following device-specific CVSS v3.1 base scores:

FL SWITCH TSN / FL SWITCH 59xx / FL WLAN 1020/1021/1022/1120/1121/1122: 8.6 (HIGH), CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L

FL SWITCH 2xxx / FL NAT 2xxx / FL WLAN 1100/1101/2100/2101: 7.3 (HIGH), CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L

CVE description
PHP uses longjmp() for out-of-memory (OOM) errors to exit the current context and abort handling of the request. Some contexts may not properly account for this scenario and leave request memory in an uninitialized state before performing an allocation. The subsequent request cleanup procedure may read or branch on this memory. Multiple OOM strategies can consistently trigger this condition and lead to remote code execution (RCE).

CWE:	CWE-824: Access of Uninitialized Pointer

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
2206C-2FX Order number: 1095628		
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
2308 Order number: 2702652		
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
2416 PN Order number: 1089150		
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
2303-8SP3 Order number: 1277825		
PHP <8.2.35 as external component of FW <3.60 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1020 Order number: 2702992	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1120 Order number: 1386091	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1022 Order number: 1752493	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1122 Order number: 1752496	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1121 Order number: 1386092	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1021 Order number: 2702993	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
TSN 2314-2SFP Order number: 1232302		
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:L/A:L	8.6
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 1100 Order number: 2702534	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 1101 Order number: 2702538	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 2100 Order number: 2702535	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 2101 Order number: 2702540	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:L	7.3
PHP < 8.2.35	CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H	9.8

Fixed

Product
PHP 8.2.35
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2005 Order number: 2702323 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2008 Order number: 2702324 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2016 Order number: 2702903 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2105 Order number: 2702665 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2108 Order number: 2702666 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2116 Order number: 2702908 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2205 Order number: 2702326 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX Order number: 2702330 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX SM Order number: 2702331 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX ST Order number: 2702332 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2SFX Order number: 2702969 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2SFX PN Order number: 1044028 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206C-2FX Order number: 1095628 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2207-FX Order number: 2702328 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2207-FX SM Order number: 2702329 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2208 Order number: 2702327 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2208 PN Order number: 1044024 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2208C Order number: 1095627 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2FX Order number: 2702905 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2FX SM Order number: 2702906 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2SFX Order number: 1006188 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2SFX PN Order number: 1044030 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2216 Order number: 2702904 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2216 PN Order number: 1044029 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2306-2SFP Order number: 2702970 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2306-2SFP PN Order number: 1009222 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2308 Order number: 2702652 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2308 PN Order number: 1009220 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2314-2SFP Order number: 1006191 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2314-2SFP PN Order number: 1031683 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2316 Order number: 2702909 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2316 PN Order number: 1031673 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2406-2SFX Order number: 1043414 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2406-2SFX PN Order number: 1089126 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2408 Order number: 1043412 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2408 PN Order number: 1089133 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2414-2SFX Order number: 1043423 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2414-2SFX PN Order number: 1089139 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2416 Order number: 1043416 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2416 PN Order number: 1089150 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2506-2SFP Order number: 1043491 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2506-2SFP PN Order number: 1089135 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2508 Order number: 1043484 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2508 PN Order number: 1089134 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2514-2SFP Order number: 1043499 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2514-2SFP PN Order number: 1089154 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2516 Order number: 1043496 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2516 PN Order number: 1089205 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2608 Order number: 1106500 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2608 PN Order number: 1106616 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2708 Order number: 1106615 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2708 PN Order number: 1106610 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2303-8SP1 Order number: 1278397 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2303-8SP3 Order number: 1277825 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL NAT 2008 Order number: 2702881 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL NAT 2208 Order number: 2702882 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL NAT 2304-2GC-2SFP Order number: 2702981 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2008F Order number: 1106707 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2316/K1 Order number: 1184084 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2508/K1 Order number: 1215350 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1020 Order number: 2702992 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1120 Order number: 1386091 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1022 Order number: 1752493 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1122 Order number: 1752496 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1121 Order number: 1386092 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1021 Order number: 2702993 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH TSN 2316 Order number: 1232304 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5924-4GC Order number: 1525945 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5924SFP-4GC Order number: 1525944 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5924-4SFP+ Order number: 1525939 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943 (Download)

References

- CVSS v4.0 Score: 9.2 / Critical (EXTERNAL): https://www.first.org/cvss/calculator/4.0#CVSS:4.0/AV:N/AC:H/AT:P/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/S
- NVD Entry (EXTERNAL): https://nvd.nist.gov/vuln/detail/CVE-2026-109618

RCE via stale global state (CVE-2026-109619)

CVE Impact

A successful exploitation could allow an unauthenticated remote attacker to execute arbitrary code under the privileges of the web server process. This may result in unauthorized disclosure of data accessible by the web server process, manipulation of web-based management data, or disruption of the web-based management interface (WBM). Core device functionality (switching, routing, WLAN operation) is not affected by a compromise or crash of the WBM.

CVE Characterisation

The PHP package implements the web-based management interface (WBM) on affected devices. PHP is executed under a restricted system user with no read or write access to system configuration files beyond

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

its own volatile working directory.

Two platform variants exist with different permission profiles:

On FL SWITCH TSN, FL SWITCH 59xx, and FL WLAN 1020/1021/1022/1120/1121/1122 devices, the web server user has read access to sensitive device configuration files including TLS private keys and SNMP credentials, but no write access to persistent configuration. This results in a confidentiality impact of C:H.

On FL SWITCH 2xxx, FL NAT 2xxx, and FL WLAN 1100/1101/2100/2101 devices, the web server user has no read or write access to /etc or any system configuration files. File access is limited to volatile WBM assets in /dev/shm. This results in a reduced confidentiality impact of C:L.

In both cases, the WBM is a single component of the device. Its failure or compromise does not affect core device functionality, reducing the availability impact from A:H to A:L. Write access is limited to volatile memory only, reducing the integrity impact from I:H to I:L.

This results in the following device-specific CVSS v3.1 base scores: FL SWITCH TSN / FL SWITCH 59xx / FL WLAN 1020/1021/1022/1120/1121/1122: 7.0 (HIGH), CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L FL SWITCH 2xxx / FL NAT 2xxx / FL WLAN 1100/1101/2100/2101: 5.6 (MEDIUM), CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L

CVE description
PHP has various global state that temporarily points into request memory. In some scenarios, global state may not be correctly reset, or may be repopulated after being reset. The global state may then refer to request memory even after it has been freed. Subsequent requests may read or branch on this stale state before it is fully initialized. Multiple strategies can trigger this condition and produce remote code execution (RCE).

CWE:	CWE-416: Use After Free

Product status

Known affected

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2005 Order number: 2702323	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2008 Order number: 2702324	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2016 Order number: 2702903	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2105 Order number: 2702665	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2108 Order number: 2702666	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2116 Order number: 2702908	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2205 Order number: 2702326	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX Order number: 2702330	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX SM Order number: 2702331	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2FX ST Order number: 2702332	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2SFX Order number: 2702969	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206-2SFX PN Order number: 1044028	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2206C-2FX Order number: 1095628	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2207-FX Order number: 2702328	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2207-FX SM Order number: 2702329	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2208 Order number: 2702327	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2208 PN Order number: 1044024	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2208C Order number: 1095627	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2FX Order number: 2702905	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2FX SM Order number: 2702906	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2SFX Order number: 1006188	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2214-2SFX PN Order number: 1044030	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2216 Order number: 2702904	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2216 PN Order number: 1044029	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2306-2SFP Order number: 2702970	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2306-2SFP PN Order number: 1009222	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2308 Order number: 2702652	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2308 PN Order number: 1009220	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2314-2SFP Order number: 1006191	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2314-2SFP PN Order number: 1031683	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2316 Order number: 2702909	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2316 PN Order number: 1031673	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2406-2SFX Order number: 1043414	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2406-2SFX PN Order number: 1089126	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2408 Order number: 1043412	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2408 PN Order number: 1089133	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2414-2SFX Order number: 1043423	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2414-2SFX PN Order number: 1089139	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2416 Order number: 1043416	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2416 PN Order number: 1089150	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2506-2SFP Order number: 1043491	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2506-2SFP PN Order number: 1089135	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2508 Order number: 1043484	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2508 PN Order number: 1089134	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2514-2SFP Order number: 1043499	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2514-2SFP PN Order number: 1089154	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2516 Order number: 1043496	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2516 PN Order number: 1089205	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2608 Order number: 1106500	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2608 PN Order number: 1106616	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2708 Order number: 1106615	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2708 PN Order number: 1106610	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2303-8SP1 Order number: 1278397	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2303-8SP3 Order number: 1277825	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL NAT 2008 Order number: 2702881	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL NAT 2208 Order number: 2702882	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL NAT 2304-2GC-2SFP Order number: 2702981	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2008F Order number: 1106707	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2316/K1 Order number: 1184084	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 2508/K1 Order number: 1215350	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1020 Order number: 2702992	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1120 Order number: 1386091	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1022 Order number: 1752493	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1122 Order number: 1752496	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1121 Order number: 1386092	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <26.10 installed on FL WLAN 1021 Order number: 2702993	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH TSN 2316 Order number: 1232304	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5924-4GC Order number: 1525945	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5924SFP-4GC Order number: 1525944	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5924-4SFP+ Order number: 1525939	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0
PHP <8.2.35 as external component of FW <3.60 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:L/A:L	7.0

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product	CVSS-Vector	CVSS Base Score
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 1100 Order number: 2702534	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 1101 Order number: 2702538	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 2100 Order number: 2702535	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP <8.2.35 as external component of FW <=3.57 installed on FL WLAN 2101 Order number: 2702540	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:L	5.6
PHP < 8.2.35	CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:H/I:H/A:H	8.1

Fixed

Product
PHP 8.2.35
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2005 Order number: 2702323 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2008 Order number: 2702324 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2016 Order number: 2702903 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2105 Order number: 2702665 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2108 Order number: 2702666 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2116 Order number: 2702908 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2204-2TC-2SFX Order number: 2702334 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2205 Order number: 2702326 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX Order number: 2702330 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX SM Order number: 2702331 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX SM ST Order number: 2702333 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2FX ST Order number: 2702332 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2SFX Order number: 2702969 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206-2SFX PN Order number: 1044028 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2206C-2FX Order number: 1095628 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2207-FX Order number: 2702328 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2207-FX SM Order number: 2702329 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2208 Order number: 2702327 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2208 PN Order number: 1044024 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2208C Order number: 1095627 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2212-2TC-2SFX Order number: 2702907 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2FX Order number: 2702905 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2FX SM Order number: 2702906 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2SFX Order number: 1006188 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2214-2SFX PN Order number: 1044030 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2216 Order number: 2702904 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2216 PN Order number: 1044029 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2304-2GC-2SFP Order number: 2702653 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2306-2SFP Order number: 2702970 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2306-2SFP PN Order number: 1009222 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2308 Order number: 2702652 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2308 PN Order number: 1009220 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2312-2GC-2SFP Order number: 2702910 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2314-2SFP Order number: 1006191 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2314-2SFP PN Order number: 1031683 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2316 Order number: 2702909 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2316 PN Order number: 1031673 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2404-2TC-2SFX Order number: 1088853 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2406-2SFX Order number: 1043414 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2406-2SFX PN Order number: 1089126 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2408 Order number: 1043412 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2408 PN Order number: 1089133 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2412-2TC-2SFX Order number: 1088875 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2414-2SFX Order number: 1043423 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2414-2SFX PN Order number: 1089139 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2416 Order number: 1043416 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2416 PN Order number: 1089150 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2504-2GC-2SFP Order number: 1088872 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2506-2SFP Order number: 1043491 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2506-2SFP PN Order number: 1089135 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2508 Order number: 1043484 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2508 PN Order number: 1089134 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2512-2GC-2SFP Order number: 1088856 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2514-2SFP Order number: 1043499 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2514-2SFP PN Order number: 1089154 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2516 Order number: 1043496 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2516 PN Order number: 1089205 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2608 Order number: 1106500 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2608 PN Order number: 1106616 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2708 Order number: 1106615 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2708 PN Order number: 1106610 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2303-8SP1 Order number: 1278397 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2303-8SP3 Order number: 1277825 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL NAT 2008 Order number: 2702881 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL NAT 2208 Order number: 2702882 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL NAT 2304-2GC-2SFP Order number: 2702981 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2008F Order number: 1106707 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2316/K1 Order number: 1184084 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2506-2SFP/K1 Order number: 1215329 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 2508/K1 Order number: 1215350 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1020 Order number: 2702992 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1120 Order number: 1386091 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1022 Order number: 1752493 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1122 Order number: 1752496 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1121 Order number: 1386092 (Download)
PHP 8.2.35 as external component of FW 26.10 installed on FL WLAN 1021 Order number: 2702993 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH TSN 2316 Order number: 1232304 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH TSN 2312-2GC-2SFP Order number: 1232305 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH TSN 2314-2SFP Order number: 1232302 (Download)

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany

Product
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5924-4GC Order number: 1525945 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5916-8GC-4SFP+ Order number: 1525942 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5924SFP-4GC Order number: 1525944 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5924-4SFP+ Order number: 1525939 (Download)
PHP 8.2.35 as external component of FW 3.60 installed on FL SWITCH 5916SFP-8GC-4SFP+ Order number: 1525943 (Download)

References

- CVSS v4.0 Score: 9.2 / Critical (EXTERNAL): https://www.first.org/cvss/calculator/4.0#CVSS:4.0/AV:N/AC:H/AT:P/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/S
- NVD Entry (EXTERNAL): https://nvd.nist.gov/vuln/detail/CVE-2026-109619

© Phoenix Contact GmbH & Co. KG
Flachsmarktstraße 8, D-32825 Blomberg, Germany