

An unbeatable team

Surge protection and power supply for high system availability



Maximum protection for your system

Every system requires well-coordinated components. This is the only way to ensure high system availability, even in the case of high EMC loads. This approach avoids undesirable, expensive production downtimes.

The optimally harmonized combination of PLUGTRAB-SEC surge protection and the 4th generation QUINT POWER power supply provides maximum protection for your system, even under extreme environmental conditions.

Your advantages using this combination


Up to ten times higher protection for the power supply against overvoltages

▼ Double the power supply life expectancy

High planning security, thanks to 5-year guarantee

Higher current carrying capacity

The use of harmonized surge protection components enables symmetrical current distribution when an overvoltage occurs.




Test results inclusive of explanations can be found on our website.

i Webcode: #2639

Your advantages in detail

Advantages of the symmetrical current distribution

- Up to ten times higher protection
 By using the type 3 PLT-SEC surge protective device, the
 QUINT POWER power supply is ten times better able to withstand surge currents than it would be without this protection.
- Double the service life expectancy
 Thanks to the harmonized combination of the PLT-SEC surge protection and the QUINT POWER power supply, the power supply's life expectancy doubles in comparison to products that are not harmonized with each other.



Our team players in detail



QUINT POWER

power supply

- SFB Technology
- · Static and dynamic boost
- Preventive function monitoring
- Individual solutions starting from a batch quantity of just 1



PLT-SEC

surge protection

- · Protection for end devices
- Selection of preferred connection technology
- Status indicator and remote indication contact
- · Pluggable and testable

Performance class	Туре	Order No.			
120 W					
	QUINT4-PS/1AC/24DC/5	2904600			
240 W					
	QUINT4-PS/1AC/24DC/10 QUINT4-PS/1AC/12DC/15 QUINT4-PS/1AC/48DC/5 QUINT4-PS/1AC/24DC/10/CO QUINT4-PS/1AC/48DC/10/CO	2904601 2904608 2904610 2904625 2904626			
480 W					
0	QUINT4-PS/1AC/24DC/20 QUINT4-PS/1AC/24DC/20/+ QUINT4-PS/1AC/48DC/10 QUINT4-PS/1AC/110DC/4	2904602 2904617 2904611 2904613			
960 W					
	QUINT4-PS/1AC/24DC/40	2904603			

Version		Туре	Order No.			
120 V						
		Push-in connection PLT-SEC-T3-120-FM-PT	2907927			
		Screw connection PLT-SEC-T3-120-FM-UT	2907918			
230 V						
		Push-in connection PLT-SEC-T3-230-FM-PT	2907928			
		Screw connection PLT-SEC-T3-230-FM-UT	2907919			

phoenixcontact.com

